



Construction Supply

the cutting edge

innovative products and solutions from the construction experts

WINTER 2018/2019

Inquire about Purchase or Rental of Indirect or Other Style Heaters to Suit Your Job Needs!

Propane



LB125



LB170



LB400



LB400: Forced Air Heater

Electronic ignition for sure starts, 400,000 BTU/hr Propane.

LB125: 50,000-100,000 BTU/hr

LB170: 125,000-170,000 BTU/hr

Kerosene



LBK175: Kerosene forced air heater
175,000 BTU/hr

Electric Heaters

patron



PHE1.5:
5,100 BTU/hr
120V / 12.5A
1500 Watts



PHE6:
20,500 BTU/hr
240V / 25A
6,000 Watts



PHE9:
30,700 BTU/hr
240V / 37.5A
9,000 Watts



HSDXH70CFA: Cordless Propane Heater. 68,000 btu, heats up to 1,500sq.ft.
Add propane tank and DeWalt 20V battery Sold Separately



TIPIFES-1024-1CA: 240v, 10 KW/42 Amps, single stage, 34,000 BTU/hr heat output. 240V / .



TPI188TASA: Milkhouse electric fan forced 4400 BTU/hr / 120V Portable heater



\$99



\$45



\$49



\$9



\$7.95



\$99.99

TT0386-1293: Torch Handle
Propane/MAPP Torch
Self lighting, Brazes, Solders

TT0387-0465: Torch Handle
Auto lighting hand torch

TT0387-0464: Torch Kit
Complete Firepower self lighting hand torch w/ 1lb propane tank

TT0916-0122: 14.1oz propane bottle, MPT-1 Map-Pro

TT0916-0004: 14.1oz propane bottle, PT-1 Propane.

NW5RC: Nuway Torch with 12' hose. Runs off Propane. (regulator sold separately)

SPOKANE

1503 E. Riverside Ave.
Spokane, WA 99202
(509) 535-9841
(800) 348-4808
(509) 534-3139 (Fax)

SEATTLE

18161 Segale Park Dr B.
Tukwila, WA 98188
(206) 764-9488
(800) 481-TOOL
(206) 764-9487 (Fax)

YAKIMA

812 E. Mead
Yakima, WA 98903
(509) 248-1144
(800) 243-5582
(509) 575-4696 (Fax)

EUGENE

490 S. Bertelsen
Eugene, OR 97402
(541) 342-3641
(800) 944-0165
(541) 343-1753 (Fax)

MEDFORD

1789 Sage Rd.
Medford, OR 97501
(541) 779-0187
(800) 871-3919
(541) 773-4599 (Fax)

BILLINGS

120 Moore Lane
Billings, MT 59101
(406) 248-7196
(800) 272-7196
(406) 248-7269 (Fax)

GILLETTE

105 Warren Ave.
Gillette, WY 82716
(307) 682-8522
(800) 670-6851
(307) 682-8576 (Fax)

BOISE

2000 Century Way
Boise, ID 83709
(208) 377-0158
(800) 528-5118
(208) 377-0978 (Fax)

IDAHO FALLS

760 W. Broadway
Idaho Falls, ID 83402
(208) 522-7082
(208) 529-5456 (Fax)

Gear Up For **WINTER** HI-VIZ SAFETY **\$68**



PIP Class 3 Rip Stop Bomber Jacket

#PIP333-1770 (M-XXL)

Hi-Visibility Rip Stop Bomber Jacket, ANSI 107 Class 3.

Features:

- Removable Liner
- Adjustable Cuffs
- "D" ring harness pass through
- Hide-a-way Hood



The most **Innovative** cold weather safety work jacket on the market



JACKSON



JS3000434: Wind Guard

Fits over cap style hard hat to keep wind out, flame retardant, warmth for 32° to 0°.



KOJS121-(M-3X)

ONLY \$35 ea.

ML Kishigo Bomber Jacket

- ANSI 107 Class 3 Compliant
- Durable Waterproof seam sealed shell
- Thermal insulation
- 2" wide reflective material
- Adjustable Cuffs



JS3000436: Wind Guard

Fits over full brim hard hat to keep wind out, flame retardant, warmth for 32° to 0°.



PIP364-1170:

3-in-1 Polyester Fleece winter liner with drawstring



JS3005346: Wind Jammer IV Polar Fleece Liner



JS3000442: Winter liner 225 Full quilted



JS3000441: Winter Liner 400 Wrap Liner w/ collar



MJ3396HY Polar Penguin Winter Glove Hi-Vis Yellow M-XL



MJ3388 Atlas Thermo-Fit S-XL



MG3460: Thinsulate S-XL



MG9622: Insulated One size fits all!



YA02161: Maxxdry Mud Stopper Boot Brush



MJ3399KLY Emperor Penguin Winter Glove Hi-Vis Yellow M-XL



MJ3228HYT: Super-Dex cold weather insulated Hi-Vis yellow. M-XL



Adjustable
YA02153: Medium
YA02154: Large
YA02155: X-Large



Light Duty Pull On
YA02156: Small
YA02157: Medium
YA02158: Large
YA02159: X-Large

\$31

Full Zip or Hoodie your choice at this price

Majestic Hi-Viz Hooded Sweatshirt

#MJ75-5327-(M, L, XL & XXL)

ANSI Class 3 Sweatshirt with hood, Ribbed cuffs/waist

Majestic Hi-Viz Zip Front Hooded Sweatshirt

#MJ75-5325-(M, L, XL, XXL)



\$35

Majestic Hi-Viz 1/4 Zip Front Sweatshirt

#MJ75-5335-(M, L, XL, XXL)

NEW for 2018

Jackets and Hoodies available in XXXL and larger for additional charge.



MonsterGrips & Gripons

- Tungsten steel studs cut through snow & ice
- Soft rubber retains elasticity and durability
- Adjustable Velcro toe strap on MonsterGrips
- Gripons are light duty pull on traction device

STAY SAFE - STAY CLEAN - STAY WARM

SPOKANE

1503 E. Riverside Ave.
Spokane, WA 99202
(509) 535-9841
(800) 348-4808
(509) 534-3139 (Fax)

SEATTLE

18161 Segale Park Dr B
Tukwila WA 98188
(206) 764-9488
(800) 481-TOOL
(206) 764-9487 (Fax)

YAKIMA

812 E. Mead
Yakima, WA 98903
(509) 248-1144
(800) 243-5582
(509) 575-4696 (Fax)

EUGENE

490 S. Bertelsen
Eugene, OR 97402
(541) 342-3641
(800) 944-0165
(541) 343-1753 (Fax)

MEDFORD

1789 Sage Rd.
Medford, OR 97501
(541) 779-0187
(800) 871-3919
(541) 773-4599 (Fax)

BILLINGS

120 Moore Lane
Billings, MT 59101
(406) 248-7196
(800) 272-7196
(406) 248-7269 (Fax)

GILLETTE

105 Warren Ave.
Gillette, WY 82716
(307) 682-8522
(800) 670-6851
(307) 682-8576 (Fax)

BOISE

2000 Century Way
Boise, ID 83709
(208) 377-0158
(800) 528-5118
(208) 377-0978 (Fax)

IDAHO FALLS

760 W. Broadway
Idaho Falls, ID 83402
(208) 522-7082
(208) 529-5456 (Fax)

Keep Your Jobsite Cleared & Protected from the Elements




DuraSkrim Construction Enclosure:

Reinforced Enclosure Plastic. High strength poly construction and heavy duty skim reinforcement easily helps Dura-Skrim® outperform the competition.

RNR5CC20100 (20X100 reinforced)

RNR5CC20100FR (20X100 reinforced fire retardant)

RNR5CC40100 (40'x100 reinforced)



Wind Clips: #WC

Easily attaches your sheeting to poles or scaffolding



TRACTION SAND: 70 LB Tube Sand Bag



Multi-Purpose Tarps

TWT0608: 6'X8' Blue
TWT0810: 8'X10' Blue
TWT1012: 10'X12' Blue
TWT1020: 10'X20' Blue
TWT1216: 12'X16' Blue
TWT1220: 12'X20' Blue
TWT1620: 16'X20' Blue
TWT1824: 18'X24' Blue
TWT2030: 20'X30' Blue
TWT2040: 20' X 40' Blue



UF16-404
\$19.99



UF16-393
\$24.97



UF16-274
\$13.99
 18" Poly Snow Pusher



UF26-812: \$25.19

Aluminum Snow Scoop #12 size

UF26-724: \$27.62

Aluminum Snow Scoop #10 size

UF16-815: \$19.67
 Poly Snow Scoop



PO212C: 2 mil - 12x200 Clear
PO406C: 4 mil - 6x100 Clear
PO408C: 4 mil - 8x100 Clear
PO410B: 4 mil - 10x100 Black
PO410C: 4 mil - 10x100 Clear
PO610C: 6 mil - 10x100 Clear
PO620C: 6 mil - 20x100 Clear
PO620B: 6 mil - 20x100 Black
PO620FR: Fire Retardant
PO820C: 8 mil - 20x100 Clear
PO1020B: 10 mil - 20x100 Black
PO1020C: 10 mil - 20x100 Clear




Mighty Ties: 4" TO 48", black or natural
ACL11509C: 11" Natural 50# pack of 100
 Ask your Edge sales rep for all the sizes available!



Titan Straps: Polyurethane Material

TNTS0914-FB: 14" Blue
TNTS0125-O: 25" Orange
TNTSI-0136-FG: 36" Fluor. Green

EASY TO USE
 Thread. Pull. Tighten. It's that easy.



Logo Must Face Outward Thread Tip Through Buckle Stretch & Secure over flange, Tension hold gear like a vice.



UF16-412:
 18" Alum blade W/
 steel ergonomic
 handle



UFGPRR24:
 Snow Roof Rake



UF81-109:
 7" Sidewalk/Ice
 scraper



ICEMELT: 50 lb bag



CH82088B
 80 lb Professional Grade Ice Melt Spreader
 (shown with optional rain cover)



Snappi Hookers: Rubber

straps w/ hooks
NSNH9": 9"
NSNH15": 15"
NSNH20": 20"
NSNH30": 30"

Look for many **More Great Products** throughout our stores!

www.edgecs.com



Construction Supply



YMEF2600: 2600 watts and only 92.6 lbs. Super-fuel-efficient, 7.8 hr run time on one tank of gas, 2.9 gal tank. Sound rating = 68 dBA. 19/21.6 amps @ 120v



YMEF2000iS: Lightweight/ Quiet & Powerful 2000 watts, 79cc, 4-Stroke, OHV, Air-cooled, Single cylinder. 11 hr runtime



YMEF5500DE: Quiet & Powerful 5500 watts, Electric start with Battery, 22.9 amps @ 240V, 74dBA & 9 Hr run time



YMYG-2800i: 2800 watt Inverter with Pulse Width Modulation which is good for sensitive electronics such as computers. **Includes 30 amp circuit** (15 hr run time/2500 watt sustained)



WGWL12000HE: Big Dog 12,000 Watt Portable Generator
Durable Honda commercial engine, 120/240 Volt 1 PH, 90/45 amps, 688cc, Gas, Electric start, comes with wheel kit
Receptacles:

- 120 Volt Receptacles:
- 4 - 20A NEMA 5-20 GFI
- 1 - 20A locking GFI NEMA L5-20
- 120/240 Volt Receptacles:
- 1 - 60A NEMA 14-60

WGWL1200HECALMOD: Includes all above options plus a 50AMP plug.



YMEF7200DE: Quiet & Powerful 7200 watts, Electric start with Battery, 25 amps @ 240V, 80dBA & 8 Hr run time



Temp Power



COL01970-3R-02: Temp Power Distribution Spider Box. (6) 20A GFCI and circuit breaker protected NEMA 5-20 straight blade receptacles with covers

COL01918-00-08: 50FT Twist lock 50 Amp 125/250 volt, 3 pole 4 wire temp power cable.
COL01919-00-08 100FT Twist lock, 50 Amp 125/250 Volt, 3 pole 4 wire temp power cable.



COL01920-00-08: Y adapter for temp power cords. 125/250 Volt AC, 3 pole

Stock up on Batteries today!

Our Inventory is Full!



\$18.95

RYRNL3AAA-B:
Rough Neck Headlamp
Roughneck Series
80 Lumen LED



\$9.95

RYDIYHL3AAA-B:
Indestructible Headlamp
Indestructible Series
50 Lumen, 30 foot drop test



\$22

RYDIYBEAM-B: LED 4C Beam Lantern
150 Lumens. Virtually Indestructible
drop test to 15 feet



Rayovac Ultra Pro: AAA - AA - C6 - D6 - 9V



\$17.95

AS6003: 90 Lumen LED
Headlamp w/ 2 Red
LED's



AS6311: Transport Light
Compact, rechargeable 125
lumen LED. Fits any 12v
outlet (car cigarette lighter)

\$16.45



AS6691: REBEL
Rechargeable dual purpose headlamp
& hand held flashlight. **600 lumen**
output

\$28.95



AS6444: Nebo DUO headlamp
250 Lumens, four light modes.
setting spot beam, Flood, Red
& Red Beacon flashing modes.

\$24.75

NEBO
TOOLS



AS6525: SLYDE+ LED
250 Lumen Flashlight
190 Lumen Work light

\$23.95



DUST BARRIER SYSTEM

Create a dust barrier - Tightly seal at walls and ceiling - Create an entry point - Cover a doorway!



ZWKIT-20: 20ft pole kit (2 per kit)
ZWSLP2: 12ft pole kit (2 per kit)
Plastic sheeting not included




ZWSLP4: Contains 4 - 10' stainless steel, spring loaded poles (each with heads, plates & gripdisk non slip pads), 2 - standard zippers and 1 - carry bag. *Plastic sheeting is not included*
Plastic sheeting not included



ZWHDAZ12: 12 pack zipper kit, self adhesive
ZWHDAZ2: 2 pack zipper kit, self adhesive
Both kits come with knife



ZWFR2: Foam Rail Cross Bars. 2-pack. Tightly seal along floors, ceilings or walls



SFCS24200W: Carpet Shield 24"X 200'
SFCS36200W: Carpet Shield 36"X 200'
SFCS36500: Carpet Shield 36"X 500'
Multiple lengths & widths available

SFCM2436: Clean mat 24"X36"
SFCM3636: Clean mat 36"X36"
SFCM3645: Clean mat 36"X45"
SFCM2436BLUE: Clean Mat 24x36 Blue



SFSC3001PB: Slip on shoe covers.
Designed to fit over boots. (10pr/ bag)




SFBLD38100: Builder board
Durable economic floor protection for short term solutions (for indoor use)

SFBLDAPP: Builder Board Applicator Seamer tape machine.



SFBLD072BR: Builder Board Breathable Tape lets vapors escape by seaming with the strong, tacky hold.



PLASTI-SHIELD

Floor & Wall Protection

SFPLS4896W4:

Light corrugated plastic sheeting that is perfect for protecting walls and floors. Plasti-Shield is easy to cut, carry and is an excellent alternative to masonite. A fire resistant option is also available.



Ask an Edge Sales Rep about Eagle Products!
Eagle Enclosures - Safety Guard Netting



EIDN50-10150-BLK: 10'x150' Black Safety Debris Netting. 1/16" mesh hole openings.
EISN-04150-ORG-FR: 4'x150' Orange safety Debris Netting. 1/4" mesh hole openings.
EISN-04150-BLU-FR: 4'x150' Blue Safety Debris Netting. 1/4" mesh hole openings.



SAFETY GUARD

Safety Guard is a lightweight debris netting designed to protect falling tools and debris as well as personnel working near structural edges and open-sided buildings.

Available in multiple colors specifications.

- Debris Netting
- Safety Netting
- Shrink Wrap
- Construction Tarp
- Reinforced Poly
- Scaffold Sheeting
- Safety Guard (Shown)
- Accessories - attachments

TRADITIONAL



\$116

COL07605-88-00: 400W Temp Light
COL07625: Replacement Bulb



COL07549-88-02: 100' String Lighting
12/3 AWG cord, 150 Watts.... **\$139**
COL07548-88-02: 50' String Lighting
12/3 AWG cord, 150 Watts.... **\$81**
Upgrade to the LED bulb!



CEP91120: 20', 18/2 9.6w 1100 lumens per light.
CEP91135: 50' 18/2 48w 5500 lumens
String 500' together - Either light



NEW High Lumen LED String Lights:

LED



\$139

CEPCL100LEDG2: 100 Watt
high bay fixture. Feed
through daisy chain cord.
Tapered for better luminous
flux. 12,000 Lumens, 100w



\$109

COLT50078:
78W LED, low bay
light. 8200 Lumens



\$165

VT08-00405: 150W
LED Temporary area
work light, 18,000
lumens



VT08-01187LED: 14/3
wire, 50' string **\$84**
VT08-01188LED: 14/3
wire, 100', 10-light **\$159**
plastic cage light string,
yellow. 850 Lumens
**Includes LED bulbs*



CEP97132: Temp Job Site String
Light, LED 66 W, 100ft, 10 lights
included, 650 lumens per panel,
50,000 hr lamp life. **\$288**
CEP97135: 50ft Light String
5 lights included. **\$149**

TRADITIONAL

DUAL TRIPOD LIGHTS



\$49

CEP5610-I:
1000W (500w ea)
Economy Import
Light, 16,000 lumens



\$132

CEP5710: 1000W (500
Watt ea) Quartz Heavy
Duty. 11,000 lumens



\$95

CEP5750: 500 Watt Heavy
Duty Quartz Halogen




CONSTRUCTION
ELECTRICAL
PRODUCTS

TASK LIGHTING



\$14.95

CEP5125-I: "Stubby"
500 Watt 1 ft



LED



\$259

CEP9750: High output
LED light stand. 7' tripod
single. 5,500 lumens.



CONSTRUCTION
ELECTRICAL
PRODUCTS



\$469

CEP9810: High output
LED light stand. 7'
tripod double.
11,000 lumens
(5,500L ea)

LED



\$138

CEP5220: LED Portable Work
Light. 3,000 lumens, low heat
output
CEP5270: With tripod stand,
3,000 lumens



\$153



\$79

COLL-1320: 779 lumen
Rechargeable LED



\$68

COLL-1323: 779 lumen
Corded LED



\$75

COLL-1681: 23W LED,
1474 Lumens Shadow Free



\$125

COLL-1325: 4,800
lumen LED Shadow Free



\$121

CEP9125: Stubby LED 5500
lumen w/ Magnetic back



Southwire®

COLL-1322: 1,558
Lumens, Tripod, 5 ft
cord dual light stand

TRADITIONAL

WOBBLIGHT

Wobblelight - Self righting work light.

\$285



WL175MH: 175 Watt/15,000
lumens Metal Halide
WL400MH: 400 Watt/40,000
lumen Metal Halide

\$344

LED



WE'RE
NEW



WL111206: JR LED 80 watt/ 9,000
lumens
WL111303LED: V3 LED 220 Watt/
15,000 lumens



Cordless Lighting

\$549



MI2135-21HD: (9Ah) M18 Rocket
18V LED. Up to 7' tall. 3,000 lumens
of multi-directional light. Kit includes
Battery & charger



\$449

DEWALT

DTDCLO70T1: Flexvolt cordless
site light. 20V, LED, 3000/7000
lumens. Includes light, 6 Ah
Battery & Charger



JEPT-2748W: JET Pallet Jack. 27"X48" forks, 6,000lb capacity.



JEESP1110: WILTON strut Cutter Starter Pack
Portable hydraulic strut cutter pack includes the Strut Cutter, SPX 10,000 psi power unit and 6' Hydraulic hose.



WILTON BASH Sledge Hammers.
Unbreakable Handle Technology

- JE20412:** 4lb - 12" handle
- JE20416:** 4lb - 16" handle
- JE20616:** 6lb - 16" handle
- JE20624:** 6lb - 24" handle
- JE20816:** 8lb - 16" handle
- JE20824:** 8lb - 24" handle
- JE20836:** 8lb - 36" handle
- JE21016:** 10lb - 16" handle
- JE21036:** 10lb - 36" handle



WILTON Utility workshop vise
JE11127: 5-1/2" jaw with 180° swivel base.
JE11128: 6-1/2" jaw with 180° swivel base.



WILTON Tradesman vise
JE63200: 5-1/2" jaw with 360° swivel base.
JE63201: 6-1/2" Jaw with 360° Swivel base.



DeWalt Wood-Knocker

DTPFM2521350: 38/-12" Cast in place concrete insert anchors for wooden forms.



DeWalt Bang-It

DT7543: 38/-12" Cast in place concrete insert anchors for pandeck applications.




Hollo-Bolt™




Edge has local inventory in the Northwest to support your jobs!

Generic Size	Product Code	Max. Clamping Range	Sleeve Diameter	Seismic Design Category Categories D,E,F *	
				LRFD Method Tensile (lb)	LRFD Method Shear (lb)
5/16"	LDLHBM08#1	1/4" - 7/8"	0.541"	3305	2675
	LDLHBM08#2	7/8" - 1-5/8"	0.541"	3305	2675
	LDLHBM08#3	1-5/8" - 2-3/8"	0.541"	3305	2675
3/8"	LDLHBM10#1	5/16" - 7/8"	0.699"	5485	4565
	LDLHBM10#2	7/8" - 1-5/8"	0.699"	5485	4565
	LDLHBM10#3	1-5/8" - 2-3/8"	0.699"	5485	4565
1/2"	LDLHBM12#1	5/16" - 1"	0.778"	7465	6250
	LDLHBM12#2	1" - 1-13/16"	0.778"	7465	6250
	LDLHBM12#3	1-13/16" - 2-3/4"	0.778"	7465	6250
5/8"	LDLHBM16#1	1/2" - 1-1/8"	1.014"	13330	9780
	LDLHBM16#2	1-1/8" - 2"	1.014"	13330	9780
	LDLHBM16#3	2" - 2-13/16"	1.014"	13330	9780
3/4"	LDLHBM20#1	1/2" - 1-5/16"	1.289"	19355	15330
	LDLHBM20#2	1-5/16" - 2-3/8"	1.289"	19355	15330
	LDLHBM20#3	2-3/8" - 3-3/8"	1.289"	19355	15330




LDLFLS037: Type FLS beam flange: Beam flange clamp with swivel unit. For parallel and sloping flanges. Supplied with grade 8.8 setscrew for secure grip

- Accommodates **compound angles**
- Droop all-thread straight, even with **sloped roofs**




LDLGF037: Grating fixing for rectangular open bar grating with cast main body giving superior clamping force. Vibration & shock resistant. No welding or drilling. No hot work permits. Compatible with common grating products.



The Type **ALP** (Adjustable Lifting Point) is Lindapter's standard rigging and lifting solution that safely support loads up to 3.3 tons (6.6 kip) with a +/- 18° lift angle from the supporting steel.



Not for Fall Protection!



Available in Zinc, Hot-Dipped, Stainless and other finishes


Hollo-Bolt Options

Hollo-Bolts are available in a range of head types for a variety of architectural finishes!

* Seismic Design category A-C have higher values



Ask About Custom Beam/Girder Clamps!





1503 E. Riverside
P.O. Box 3437
Spokane, Washington 99220

PRESORTED
STANDARD
U.S. POSTAGE
PAID
Spokane, WA 99201
Permit No. 888



BRACING FOR THE FUTURE - ORIGINAL TOOL-LESS FITTING

Hanging Solutions


"Save Time & Money"

- Up to 6x's as fast as standard methods
- Aesthetically discreet and lightweight
- Hang **Duct, Pipe, Conduit, Equipment, Cable trays** & more with cable
- End fittings to connect to **Steel, Concrete & Wood** structures
- Safe working loads from **25 to 715 lbs.**
- Variety of lengths, sizes & configurations available

- No.1**
0 - 25 lbs
No.2
25 - 100 lbs
No.3
100 - 200 lbs
No.4
200 - 495 lbs
No.5
495 - 715 lbs




Duct Trapeze







Griple Tool-less fitting: Insert line into #1, make a loop around object, pull wire back through #2 & adjust to exact desired length.

**NEW
UNIGRIP**



Variety of Cable & End Fixings

to attach to steel, concrete & wood structures



The next generation of wire rope suspension products designed for the fast suspension of cable containment, pipework, ductwork, HVAC systems and modules, including multi-tier installations.

