



the cutting edge

innovative products and solutions from the construction experts

Construction Supply

www.edgecs.com

Sept 15 - Oct 31, 2017

KNAACK

weather guard



Knaack Weather Guard Steel - L-Shaped Transfer Tank

90 Gallon - White Fuel Tank
KN354-3-01 **\$744**



Fill-Rite 12 V DC Fuel Transfer Pump

Manual & Auto Options

FIFR1210G - Pump 3/4"x12' Hose Manual Pump... **\$369**

FIFR1210GA - Pump 3/4"x12' Hose Auto Pump.... **\$409**

Compatible with diesel, gasoline, kerosene, E15, biodiesel up to B20

Fill-Rite Rotary & Piston Hand Pump

Manual Fuel Transfer Pumps

FIFR152 - Piston style hand pump **\$159**

FIFR112 - Rotary style hand pump **\$159**



FILL-RITE
Trucks Manufactured By: **Tuohill**

Replacement Parts Available!



KN114-0-01: Cross Box's available upon request **\$847**



Saddle Box's - Fit all full-size pickups

KN117-0-02: 15.3cuft - 18"x27"x71" **\$773**

KN127-0-02: 11.8cuft - 18"x20"x71" **\$709**



KN116-5-02: Saddle box, full extra wide 15.3 cu **\$794**



KN174-0-01: Lo-Side box 4.1cu ft



KN396-0-02: Hi-Side box, Aluminum 11.8 cu ft (single box's available)

All truck boxes come standard with Locks

Ask about more sizes, colors and configurations

KNAACK
weather guard

Buy \$800 in Knaack or Weather Guard product

Get either a free 6' Dual Purpose Ladder FREE or a \$75 Gift Certificate!!!

Free Ladder
WEDP6206



Storage Jobsite Box

Wired & Ready for Electronic Plans

Data Vault

DATA VAULT

\$5500

KN118-01:

- 40" Monitor & Wiring Harness
- Back Up Power Supply
- Printer
- USB Switch & Hub
- Surge Protector
- Just add computer and internet access



NEW

Tool Kage

KN139-MT:

- Includes 4 shelves
- 16g Diamond Punched Steel Panels
- Power Pass for power distribution to all shelves
- Watchman IV lock system
- Four-way skids for easier transport
- Powder coat finish



NEW

Tool Kage

KN129-MT:

- Includes 18 separate interiors bins
- 16g Diamond Punched Steel Panels
- Power Pass for power distribution to all shelves
- Watchman IV lock system
- Four-way skids for easier transport
- Powder coat finish

SPOKANE

1503 E. Riverside Ave.
Spokane, WA 99202
(509) 535-9841
(800) 348-4808
(509) 534-3139 (Fax)

SEATTLE

5419 Maynard Ave S.
Seattle, WA 98108
(206) 764-9488
(206) 764-9487 (Fax)
(800) 481-TOOL

YAKIMA

812 E. Mead
Yakima, WA 98903
(509) 248-1144
(800) 243-5582
(509) 575-4696 (Fax)

EUGENE

490 S. Bertelsen
Eugene, OR 97402
(541) 342-3641
(800) 944-0165
(541) 343-1753 (Fax)

MEDFORD

1789 Sage Rd.
Medford, OR 97501
(541) 779-0187
(800) 871-3919
(541) 773-4599 (Fax)

BILLINGS

120 Moore Lane
Billings, MT 59101
(406) 248-7196
(800) 272-7196
(406) 248-7269 (Fax)

GILLETTE

105 Warren Ave.
Gillette, WY 82716
(307) 682-8522
(800) 670-6851
(307) 682-8576 (Fax)

BOISE

2000 Century Way
Boise, ID 83709
(208) 377-0158
(800) 528-5118
(208) 377-0978 (Fax)

IDAHO FALLS

760 W. Broadway
Idaho Falls, ID 83402
(208) 522-7082
(208) 529-5456 (Fax)

Jobsite Storage Chests & Cabinets



\$629

KN4830

Jobsite Storage Chest
48"WX30"D X34"H (25 cubic ft.)



\$631

KN60

Jobsite Storage Chest
60"WX24"D X23"H (20 cubic ft.)



\$990

KN79

Storagemaster Piano Box
w/ large dual folding doors
48"WX30"D X49"H (38 cubic ft.)



\$996

KN89

Jobsite Storage Chest
46"HX30"D X60"W (48 cubic ft.)



\$2586

KN119-01

Mobile Heavy Duty Field Station
Watchman® 5 lock system.
82"WX60"H X42"
(115.2 Cubic ft. capacity)



KN139 \$1619

Jobmaster® Cabinet
Available w/ & w/o Drawers
60"x30"x57" (55 cubic ft.)



KN44 \$1320

4-Drawer rolling work bench
37"WX40"H X25"
(800 lb. load capacity)



\$1360

KN109

4-Drawer rolling work bench
60"WX24"H X60" (800 lb. load capacity)
***Ask about other configurations**



CAST IN PLACE DEVICE

Eliminate coring and firestop before the concrete pour with SpecSeal® CID Cast-In Firestop Devices. SpecSeal®

Cast-In Devices are a sleeve, concrete core and firestop rolled into a single device. SpecSeal® Cast-In Devices are available in a range of sizes and heights to accommodate penetrant up to 6 in. Trade Size penetrants and concrete depths of up to 20 in.



Ask you Edge sales rep for specifics on size and flooring material applications!



SpecSeal® LCI Intumescent Firestop Sealant is a water-based intumescent sealant intended for a wide range of through-penetration and construction joint applications. SpecSeal® LCI Sealant has excellent caulking properties making it easy to apply in vertical applications as well as overhead.

STILCI300: 10oz tube, latex water base

STILCI305: 5 gal, latex water base


STILCI320: 20oz Sausage tube, latex water base

STILCI320-BLUE: 20oz Blue sausage tube, latex water base

STILCI329: 29oz tube, latex water base



Retrofit Device



EZ-Path Retrofit Device: for overfilled sleeves

Overfilled cable sleeves are the bane of every facilities team, bring these deficient openings back into code compliance with the EZ-Path® Retrofit Device. Its two-part clam shell design installs around projecting sleeves and cable bundles restoring fire and smoke leakage performance. The EZ-Path® Retrofit Device quickly and easily retrofits sleeves of up to 100% visual fill restoring fire performance without the need for additional firestop products

Fire Rated Pathway Devices



The EZ-Path® Series 44+, 33, & 22 Fire-Rated Pathways are designed for small to high cable volume conditions through fire-rated walls and floors while eliminating the burden of ongoing maintenance. Self Sealing design provides exceptional fire and smoke leakage ratings

- Allows for easy Moves, Adds, and Changes
- Designed for New and Existing conditions
- Variety of accessories available for any field condition
- Greatest achievable cable density of any solution on the market
- Suited for round and rectangular openings

Call your Edge Rep for all your Firestopping Submittals and Needs!



EVO Synchronous Lifting System

Completely customizable lifting solutions to meet the most difficult Lifting scenarios



Bolting Tools

Hydraulic Wrenches, Square drive Controlled Tightening Tools, Joint Assembly Tools & Joint Separation Tools



Enerpac Hydraulic Cylinders

- Available in 5—100 ton capacity
- Stroke of 1/2" - 14-1/4"
- Ask about other varieties such as Double Action, Corrosion Resistant, Hollow Center...and more.

Ask about Complete Sets

ENERPAC 



Hydraulic Pumps

Manual and Electric Pumps

Pumps from 10,000 - 40,000 psi, 20in³ to 40 gal reservoir, Flow rates from .037 in³/stroke to 60in³/min



Ask about Accessories

Hoses, Manifolds, Valves, & Fittings

WE RENT & SELL ENERPAC!



BS20199: Balldriver L-wrench double pack. 1.5-10mm & .050-3/8"



NEW PRODUCT



BS22199: Hex End L-wrench double pack. 1.5-10mm & .050-3/8"



BS12587: Set 7 fold-up tools (2mm-8mm)



BS12587: Set 9 fold-up tools (.050-3/17")



BS12634: Set 8 star tip fold-up tools (T9-T40)



Construction Supply
www.edgcs.com



WD10100:
Refillable
Applicator



WD490118
(WD10110)
1 gal Jug



WD490040
(WD110078)
11oz. can



WD490026
(WD110054)
8oz. can



SB38532: Magnetic Jamber Set, 32" & 78" High strength frame, accuracy certified professional level set.....\$229



SB36548: 48" dust and water-proof IP65 tech level with case.....\$239



SB25245: Die cast magnetic torpedo level w/ 45° vial & v-groove frame.....\$45



SB38648: 48" #96M magnetic level.....\$119



SB29924: 3 level Magnetic pro-set. 48", 24" & torpedo\$129



SB35712: 7' - 12' plate to plate level\$309



SB38624: 24" Heavy Duty magnetic box level\$72



SB37448: 48" type 196 level with handles.....\$106



Aero: Wet/Dry Vacuum

NK107406622: 6 Gal **\$239**
NK107406623: 8 Gal **\$299**

These vacuums have an Auto on/off switch for your power tools for dust containment.

Connect Direct to Dust Shroud Systems!



Attix: HEPA Vacuum

NK302004230: 8 Gal **\$509**
NK302004234: 12 Gal **\$589**

59(dB(A)) working sound level

Washable Fleece and HEPA filters available for the Attix Models w/ 99.9% filtration efficiency

Connect Direct to Dust Shroud Systems!



NK302002404: 6 Gal vac bags (set of 4)



Nilfisk
trusted since 1906



NK302001095:
Hepa filter for
Attix



NK302004004:
Vac Bags for
Attix. 50 pack
(available in 30
pack also)



\$149

SH962-52-10: 16 gal, 6.25 HP with Poly hose kit and tools.



Vacuum bags in stock for all size Shop-Vac's



SH962-51-10: 12 gal, 5HP with Poly hose kit and tools. **\$139**

SH962-50-10: 10 gal, 4HP w/ Poly kit available also. **\$119**



SH903-04-7: Filter cartridge fits most wet/dry vacuums.


lindapter



Hollo-Bolt™


Edge has local inventory in the Northwest to support your jobs!

Generic Size	Product Code	Max. Clamping Range	Sleeve Diameter	Seismic Design Category Categories D,E,F *	
				LRFD Method Tensile (lb)	LRFD Method Shear (lb)
5/16"	LDLHBM08#1	1/4" - 7/8"	0.541"	3305	2675
	LDLHBM08#2	7/8" - 1-5/8"	0.541"	3305	2675
	LDLHBM08#3	1-5/8" - 2-3/8"	0.541"	3305	2675
3/8"	LDLHBM10#1	5/16" - 7/8"	0.699"	5485	4565
	LDLHBM10#2	7/8" - 1-5/8"	0.699"	5485	4565
	LDLHBM10#3	1-5/8" - 2-3/8"	0.699"	5485	4565
1/2"	LDLHBM12#1	5/16" - 1"	0.778"	7465	6250
	LDLHBM12#2	1" - 1-13/16"	0.778"	7465	6250
	LDLHBM12#3	1-13/16" - 2-3/4"	0.778"	7465	6250
5/8"	LDLHBM16#1	1/2" - 1-1/8"	1.014"	13330	9780
	LDLHBM16#2	1-1/8" - 2"	1.014"	13330	9780
	LDLHBM16#3	2" - 2-13/16"	1.014"	13330	9780
3/4"	LDLHBM20#1	1/2" - 1-5/16"	1.289"	19355	15330
	LDLHBM20#2	1-5/16" - 2-3/8"	1.289"	19355	15330
	LDLHBM20#3	2-3/8" - 3-3/8"	1.289"	19355	15330



LDLFLS037: Type FLS beam flange: Beam flange clamp with swivel unit. For parallel and sloping flanges. Supplied with grade 8.8 setscrew for secure grip



- Accommodates compound angles
- Droop all-thread straight, even with sloped roofs



LDLGF037: Grating fixing for rectangular open bar grating with cast main body giving superior clamping force. Vibration & shock resistant. No welding or drilling. No hot work permits.



The Type **ALP** (Adjustable Lifting Point) is Lindapter's standard rigging and lifting solution that safely support loads up to 3.3 tons (6.6 kip) with a +/- 18° lift angle from the supporting steel.




Hollo-Bolt Options

Hollo-Bolts are available in a range of head types for a variety of architectural finishes!

Available in Zinc, Hot-Dipped, Stainless and other finishes

* Seismic Design category A-C have higher values



The Flush Clamp is a Girder Clamp System without the need of a location plate. Suitable for connecting beams of varying widths and thicknesses. Suitable for flanges up to 10° slope.



WAR10227: 35" Step-Up Bench: EZ Stride® Step-Up Bench comes unassembled. 40 lbs.



MSWB700: 48" Wide Work Bench: Adjusts from 18" to 30" height in 2" increments.

WARNER®



WAR10228: 46" Step-Up Bench: EZ Stride® Step-Up Bench comes unassembled.



MSDC344U: Steel Drywall & Plastering Cart, Includes panel swivel casters. 3,000 lb capacity.



MSPL11C: 11' Drywall Lift, 150lb capacity



\$79⁰⁰



29-Piece Drill Bit Set
Item #: TR99803

1/16" to 1/2" (1/64" increments).
Black oxidized finish, Flute type twist, Type jobbers length for Heavy Duty use.

SPOKANE (509) 535-9841 (800) 348-4808	BILLINGS (406) 248-7196 (800) 272-7196	YAKIMA (509) 248-1144 (800) 243-5582	GILLETTE (307) 682-8522 (800) 670-6851	SEATTLE (206) 764-9488 (800) 481-8665	BOISE (208) 377-0158 (800) 528-5118	EUGENE (541) 342-3641 (800) 944-0165	IDAHO FALLS (208) 522-7082	MEDFORD (541) 779-0187 (800) 871-3919
--	---	---	---	--	--	---	--------------------------------------	--



\$2339

w/ vacuum pump



TA965173606: DMS240 core drill w/ vacuum pump

TA965173601: DMS240 core drill w/out vacuum pump



Diamond Core Bits

TA542785150: 2"
TA542785152: 2-1/2"
TA542785154: 3"
TA542785156: 3-1/2"
TA542785157: 4"
TA542785160: 5"
TA542785162: 6"
TA542785165: 8"
TA542785167: 10"
TA542785169: 12"



\$949

K760 Cut-Off Saw

TA967181002: 14" Cut-off saw, 74cc with wet kit.



\$1299

K970 Cut-Off Saw

TA967348001: 14" Cut-off saw, 94cc with wet kit.

Get a FREE Blade with every Cut-Off Saw Purchased!

Free VH5 Blade - TA542773241

- Powerful, Reliable and easy to start
- Ergonomic design with excellent power-to-weight ratio
- Exceptionally low vibrations
- Long service intervals



\$1539

TA968411301: DM230 Hand held core drill. (hand held core drilling up to 3" & w/ stand up to 6")



\$1639

TA966563503: DM220 Hand core drill w/ 360° Adjustable handle. (hand held core drilling up to 3" & w/ stand up to 6")



Pre-Mixed Husqvarna 2-Stroke Fuel

TA581158701: 1qt Ethanol free, high octane fuel. The best pre-mixed fuel option for your Husqvarna saws.

(ask your Edge sales consultant about 50 gal containers)

Diamond Cup Grinding Wheels (Dry or Wet)



TA542774840: 4" LW1
TA542774842: 4" LW1
TA542751303: 4" GW1
 Single Rim Cup Wheels: 30 grit
 Concrete, Masonry, & Stone.
 GW1: Long Life
 LW1: Faster removal



TA542774845: LW Turbo
TA542751305: 4" GW Turbo...\$79
 Turbo Rim Cup Wheels: 30 grit.
 Faster and smoother finish
 GW: Longer life
 LW: Faster removal



TA542774841: 4" LW2
TA542774843: 7" LW2
TA542751304: 4" GW2...\$99
TA542751315: 7" GW2
 Double Rim Cup Wheels: 30 grit
 GW2: long Life
 LW2: Faster Removal



TA542793781: 7" THD Arrow High removal rate, Ideal for Epoxy & Glue Removal, 20 grit.

\$717



Buy a DM220 or
 DM230
 Get up to a 4" Core
 Bit FREE

\$784



TA966827202: DS150 stand for DM230 core drill

TA966827304: DS250 stand for DM220 Core Drill

TRADE IN!

+

FREE Recip Saw

\$399

- \$100 (trade in)

\$299

After \$100 Trade in



FREE MI2621-20:
M18 Fuel Sawzall
(bare tool)

MI2897-22: M18 FUEL 2-tool combo kit. Includes M18 FUEL 1/2" Hammer Drill/Driver (with detachable side handle), 1/4" Hex Impact driver, 2 - XC5.0 Batteries, Multi volt charger and case.



\$163

MI6536-21: Super Sawzall 13 amp, 1-3000 rpm.
(Includes carrying case)

MI2711-22HD: M18 FUEL Super Hawg
Right angle drill w/ QUIK-LOK kit. Includes Super Hawg, 2 Redlithium SC9.0 Ah Extended capacity batteries, M12&M18 Rapid Charger, Side handle and contractor bag.



\$579

\$599



MI2729-22HD: M18 FUEL Deep Cut Band Saw Kit. (kit includes Band Saw, 2- 9.0Ah batteries, charger & Carrying Case)



While Supplies Last

SPOKANE	SEATTLE	YAKIMA	EUGENE	MEDFORD	BILLINGS	GILLETTE	BOISE	IDAHO FALLS
1503 E. Riverside Ave. Spokane, WA 99202 (509) 535-9841 (800) 348-4808 (509) 534-3139 (Fax)	5419 Maynard Ave S. Seattle, WA 98108 (206) 764-9488 (206) 764-9487 (Fax) (800) 481-TOOL	812 E. Mead Yakima, WA 98903 (509) 248-1144 (800) 243-5582 (509) 575-4696 (Fax)	490 S. Bertelsen Eugene, OR 97402 (541) 342-3641 (800) 871-3919 (541) 343-1753 (Fax)	1789 Sage Rd. Medford, OR 97501 (541) 779-0187 (800) 871-3919 (541) 773-4599 (Fax)	120 Moore Lane Billings, MT 59101 (406) 248-7196 (800) 272-7196 (406) 248-7269 (Fax)	105 Warren Ave. Gillette, WY 82716 (307) 682-8522 (800) 670-6851 (307) 682-8576 (Fax)	2000 Century Way Boise, ID 83709 (208) 377-0158 (800) 528-5118 (208) 377-0978 (Fax)	760 W. Broadway Idaho Falls, ID 83402 (208) 522-7082 (208) 529-5456 (Fax)

NEW PRODUCTS AT EDGE!



EX360E: Exact PipeCut 360E dual speed, 3"-14" capacity.



EXACT PipeCut 360E

Features include two-stage motor speed control, constant torque, soft start and automatic overload protection. PipeCut 360E cuts easily, even when cutting the toughest of cast iron pipes. When cutting plastic pipes it can be attached to a vacuum cleaner for collection of the plastic chips at source during operation. It has a robust design and construction to withstand even the most demanding of conditions.



EXCERMET165: 6-1/2" blade for Stainless, Copper & plastics



EXDIAMOND165: 6-1/2" Blade for cast iron ductile

TOP CAT

TOP QUALITY INDUSTRIAL AIR TOOLS

Die Grinders (Collet Output)

300GE Series & 307GE Series



300GEK;30000;1/4

Collet Type/ Capacity	Exhaust Direction	Max. Rated Speed	Lever Style	Item #
ER Style Insert Collet 3/8" (8mm) Maximum	Rear	30,000 RPM	Safety Lever	TOP300GEK300001/4



Vertical Grinders

For use with type 11 Cup Wheels
4.0 H.P., 11.8 Lbs.

Die Grinders (Collet Output)

400GE Series



400GESK;20000;1/4

Collet Type/ Capacity	Exhaust Direction	Max. Rated Speed	Lever Style	Item #
ER Style Insert Collet 3/8" (8mm) Maximum	Side	20,000RPM	Safety Lever	TOP400GESK200001/4
	Side	20,000 RPM	Standard Lever	TOP400HGES200001/4


Edge is a Certified TopCat Warranty Repair Center

Wheel Size	Operating Speed	Lever Style	Item #
6" (150mm)	6000 rpm	Standard	TOP68CL6000611

Right Angle Die Grinders

For type 27; Type 27 cut-off (type 42) & Type 1 Cut-off (type 41) wheels

400RA Series



400RA2RS;10000;4527

400RA2SK;10000;4527

Wheel Size	Exhaust Direction	Lever Style	Item #
4-1/2" (115mm)	Rear	Safety Lever	TOP400RA2SK100004527

400RAE Series



400RAE2S;10000;4527

Wheel Size	Exhaust	Lever Style	Item #
5" (125MM)	Side	Standard	TOP400RAE2S100004527

Right Angle Die Grinders

410RAD Series



410RADSK;13000;1/4

410RADRS;13000;1/4

Sanding Pad Size	Exhaust Direction	H.P.	Lever Style	Item #
2" (50mm) 1/4-20 Spindle Output Thread	Side	1.2H.P.	Standard	TOP410RADS130001/4
	Side	1.2H.P.	Safety Lever	TOP410RADSK130001/4


"Witches Hat"



BF4320: Frameless Storm Sentinel

Storm Sentinel Inlet Insert

For Sediment -36" X 48"



POSITION-TRIM-COMPLY

Storm Sentinel catch basin inserts are the ideal products for preventing harmful pollutants from washing into storm drains. This frameless model is simple in design but powerful in protection. The weight of the grate holds the unit in place, allowing extra fabric to be cut away for a custom fit. The included color indicating Imbibitor packet absorbs any organic hydrocarbons, while the geotextile fabric prevents contaminated sediment from washing into the drain.

- Color changing Imbibitor packet indicates and absorbs oils
- Fits drains up to 36"x48"
- Multiple sizes, models, and custom sizes available
- No special tools required for installation



1503 E. Riverside
P.O. Box 3437
Spokane, Washington 99220



PRESORTED
STANDARD
U.S. POSTAGE
PAID
Spokane, WA 99201
Permit No. 888



- No Welding • 100% Adjustable
- No Drilling • 100% Reusable

FINISHES

Pregalvanized Zinc (PG)
Electroplated Zinc (EG)
Hot Dip Galvanized (HG)
304 Stainless Steel (SS)
316 Stainless Steel (ST)
Green Finish (GR)
Zinc Dichromate Gold (ZD)
Plain (PL)
Aluminum (AL)
Fiberglass (FG)
Custom Powder Coating



We carry a large variety of Channel & Fittings in stock! Call for details

THE MOST RECOGNIZED NAME IN METAL FRAMING SYSTEMS

SPOKANE	BILLINGS	YAKIMA	GILLETTE	SEATTLE	BOISE	EUGENE	IDAHO FALLS	MEDFORD
(509) 535-9841	(406) 248-7196	(509) 248-1144	(307) 682-8522	(206) 764-9488	(208) 377-0158	(541) 342-3641	(208) 522-7082	(541) 779-0187
(800) 348-4808	(800) 272-7196	(800) 243-5582	(800) 670-6851	(800) 481-8665	(800) 528-5118	(800) 944-0165		(800) 871-3919